	Type	Hits	Search Text	DBs
1	BRS	12042	(night or wall) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	480099	(light emit$5 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	327890	optic$4 (fiber or fibr$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	2003	"AC" with (step down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	39934	"AC" with "DC" with convert$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	6656	S3 same (color$4 or green or blue or red) same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	1	S8 and S2 and S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	25770	S3 and (color$4 or green or blue or red) same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	2	S10 and S2 and S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	706	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	18	S10 and S2 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	BRS	455	S10 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	2060	S2 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	457	wall outlet (socket or receptacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	0	S17 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	9	S17 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	357	S2 and S3 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	12042	night (light or lamp) or wall (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	556	S16 and "362"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	375	S21 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	BRS	12042	(night or wall) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	BRS	480099	(light emit$5 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
23	BRS	327890	optic$4 (fiber or fibr$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	11826	362/800,551,555,556,558,565,569,147,240,241,244,245,269,275,276,282,283,285,287,297,298,302,301,310,311,351,371,372,393,429,437.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	697	S23 and S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	25770	S24 and (color$4 or green or blue or red) same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	BRS	455	S28 and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	BRS	624	S27 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	BRS	0	("2003/0086266").URPN.	USPAT
30	BRS	5	("3772527" | "5506761" | "5584574" | "5649760" | "5988833").PN.	US-PGPUB; USPAT; USOCR
31	BRS	0	("6612720").URPN.	USPAT
32	BRS	4	("5465197" | "5702177" | "6276813" | "D460204").PN.	US-PGPUB; USPAT; USOCR
33	BRS	3	("3844644" | "5555162" | "6241363").PN.	US-PGPUB; USPAT; USOCR
34	BRS	0	("6857765").URPN.	USPAT
35	IS&R	1	("6817745").PN.	USPAT
36	BRS	5	("5720121" | "6361198" | "6371637" | "6415085" | "6616292").PN.	US-PGPUB; USPAT; USOCR
37	BRS	0	("6817745").URPN.	USPAT
38	BRS	55	S23 and 362/551,554,556.ccls.	USPAT
39	BRS	73	S23 and 362/551,554,556,555.ccls.	USPAT
40	BRS	18	S41 not S40	USPAT
41	BRS	432	S23 and "315"/$.ccls.	USPAT
42	BRS	422	S43 not S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	410	S44 not S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	61	S45 and S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	919	362/551,554,556,555.ccls. and (light or lamp)	USPAT
46	BRS	162	362/551,554,556,555.ccls. and (light or lamp) and batter$4	USPAT

	Type	Hits	Search Text	DBs
47	BRS	59	362/551,554,556,555.ccls. and (light or lamp) and batter$4 and (colors or (green and blue and red)) and control	USPAT
48	BRS	102	362/551,554,556,555.ccls. and (light or lamp) and batter$4 and (colors or (green and blue and red))	USPAT
49	BRS	1025	S24 and S25 and (focet or tap)	USPAT
50	BRS	55	S24 and S25 and ((fluid or water or beer) (focet or tap))	USPAT
51	BRS	154	S24 and S25 and ((fluid or water or beer) (focet or tap or conduit))	USPAT
52	BRS	36	S24 and S25 and ((fluid or water or beer) (focet or tap or conduit)) and "DC"	USPAT
53	BRS	19	("3104815" | "3845291" | "4130120" | "4564889" | "4616298" | "4749126" | "4998673" | "5171429" | "5207499" | "5539624" | "5552973" | "5823431" | "5873647" | "5918809" | "6021960" | "6126290" | "6375342" | "6484952").PN.	US-PGPUB; USPAT; USOCR
54	BRS	12	S24 and S25 and ((fluid or water or beer) (focet or tap or conduit)) and "DC" and color	USPAT
55	BRS	61	S24 and S25 and ((fluid or water or beer) (focet or tap or conduit)) and color	USPAT
56	BRS	5345	S24 with (color$4 or green or blue or red) same white	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	BRS	40777	S24 with ((color$4 or green or blue or red) or white)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	BRS	21	S59 and S25 and ((fluid or water or beer) (focet or tap or conduit))	USPAT
59	BRS	12514	362/800,551,555,556,558,565,569,147,170,187,277,240,241,244,245,269,275,276,282,283,285,287,297,298,302,301,310,311,351,371,372,393,429,437.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	BRS	12044	(night or wall) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	BRS	55	wall electrical outlet (socket or receptac$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	944	electrical outlet (socket or receptac$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
63	BRS	5	S61 and S62 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	21	("2166790" | "2179686" | "3706004" | "3780260" | "3968355" | "4298915" | "4343032" | "4428034" | "4450351" | "5446343" | "5465198" | "5481442" | "5556192" | "5637964" | "5713655" | "5863111" | "5962982" | "5964516").PN.	US-PGPUB; USPAT; USOCR
65	BRS	8	("6390647").URPN.	USPAT
66	BRS	21	S62 and S64	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	20471	electric$5 (plugs or prongs)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	BRS	326	S62 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	BRS	48	S62 and S69 and S61	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	BRS	4	("5465197" | "5702177" | "6276813" | "D460204").PN.	US-PGPUB; USPAT; USOCR
71	BRS	1	("6561677").URPN.	USPAT
72	BRS	55725	((fluid or water or beer) (focet or tap or conduit))	USPAT
73	BRS	0	filter condition sensing i	USPAT
74	BRS	9	filter condition sensing	USPAT
75	BRS	117	filter condition (sens$4 or monitor$5)	USPAT
76	BRS	11	S74 and S77	USPAT
77	BRS	4	S78 and indicator	USPAT
78	BRS	480318	(light emit$5 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1	S79 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	BRS	13	("0329064" | "3540030" | "3585596" | "4272368" | "4310828" | "4321461" | "4431533" | "4522077" | "4623451" | "4708790" | "4918426").PN.	US-PGPUB; USPAT; USOCR
81	BRS	47	("5089144").URPN.	USPAT
82	BRS	11999	362/800,551,555,556,558,565,569,147,170,187,277,240,241,244,245,269,275,276,282,283,285,287,297,298,302,301,310,311,351,371,372,393,429,437.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
83	BRS	2986	rotat$6 reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	BRS	12057	(night or wall) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	BRS	481200	(light emit$5 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	BRS	181	S84 and S85	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
87	BRS	36	S84 and S85 and S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	BRS	11	("3784809" | "5006971" | "5361190" | "5517388" | "5528474" | "5585783" | "5642933" | "5806965" | "5838247" | "5890794" | "6183100").PN.	US-PGPUB; USPAT; USOCR
89	BRS	0	("6679618").URPN.	USPAT
90	BRS	39	S85 and S86	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
91	BRS	3880	night (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
92	BRS	8	S85 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
93	BRS	0	d460204.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
94	BRS	0	d "460204".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
95	IS&R	1	("D460204").PN.	USPAT
96	BRS	23	("1629613" | "4343032" | "4357652" | "4527224" | "4533982" | "4549250" | "4611266" | "4654764" | "4714984" | "5339231" | "5412550" | "5420764" | "5523932" | "5544025" | "5556192" | "5599091" | "6022128" | "6093028" | "D285008" | "D293607" | "D432688" | "D439686").PN.	US-PGPUB; USPAT; USOCR
97	BRS	1	("D460204").URPN.	USPAT
98	BRS	50	giese-robert-d.in.	USPAT
99	IS&R	1	("5506761").PN.	USPAT
100	BRS	5	("4858377" | "4882667" | "4931912" | "5183330" | "5386356").PN.	US-PGPUB; USPAT; USOCR
101	BRS	1	("5506761").URPN.	USPAT
102	BRS	1	("5506761").URPN.	USPAT
103	BRS	5	("4858377" | "4882667" | "4931912" | "5183330" | "5386356").PN.	US-PGPUB; USPAT; USOCR

	Type	Hits	Search Text	DBs
104	BRS	293	362/170,174,178,187,199,282,319,202-208.ccls. and (rotat$7 with reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
105	BRS	5	("3266014" | "3512782" | "3764799").PN.	US-PGPUB; USPAT; USOCR
106	BRS	12	("3877171").URPN.	USPAT
107	BRS	2094	"362"/$.ccls. and (night or wall) (lamp or light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
108	BRS	481452	(light emit$5 diod$4) or "LED"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
109	BRS	556	S109 and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
110	BRS	9	S109 and S110 and converter and (step$5 down)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
111	BRS	41	S109 and S110 and converter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
112	BRS	65	"362"/$.ccls. and (nightlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
113	BRS	2	"362"/35.ccls. and (nightlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
114	BRS	527	"362"/35.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
115	BRS	123	"362"/35.ccls. and reflector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
116	BRS	58	"362"/35.ccls. and (rotat$6 reflector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
117	BRS	107	S110 and (nightlight)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB